

Measurements & Weights

	40E	40K
LENGTH	39'11"	39'11"
EXTERIOR HEIGHT*	12'0"	12'1"
EXTERIOR WIDTH*	8'5.5"	8'5.5"
EXTERIOR STORAGE* (cu. ft.)	174	161
INTERIOR HEIGHT	6'8"	6'8"
INTERIOR WIDTH	8'0.5"	8'0.5"
FRESH WATER CAPACITY/WHEATER (gal.)	100	100
HOLDING TANK CAPACITY - BLACK (gal.)	50	50

Measurements & Weights (continued)

	40E	40K
HOLDING TANK CAPACITY - GRAY (gal.)	54	54
LP CAPACITY* (gal.)	39	39
FUEL CAPACITY (gal.)	125	125
GCWR (lbs.)	44,200	44,200
GVWR (lbs.)	34,200	34,200
GAWR - FRONT (lbs.)	14,200	14,200
GAWR - REAR (lbs.)	20,000	20,000
WHEELBASE	267"	267"

Automotive/Chassis

	40E	40K
Chassis —(Chassis built before January 1, 2004) Spartan Mountain Master GT/Winnebago Industries' LULTIBELLY Monocoque, Engine Cummins ISL 8.9L turbo-charged/after cooled diesel, 370-hp @ 1,900 RPM; 1,200 lb. @ 1,300 RPM, electronic speed control, engine block heater (1,000 W), Jacobs Engine Compression Brake, Allison 6-Speed Electronic 3000 MH World Transmission touch pad gear selector, oil-to-coolant transmission cooler, ratios: 4 = 1.00:1; 5 = .75:1; 6 = .65:1, side-mounted radiator hydraulically driven fan, 50-state certification emissions control system, Independent Front Suspension (IFS) Spartan/Grannings® IFS 1460, front suspension, Rear Axle Meritor® RS-19-145 w/Outlet-Gear , axle ratio: 4.88, Rear Suspension Reyco® RS240AR air suspension, Brakes full air, engine driven compressor, air dryer w/automatic heated moisture ejector, lanyards on air tanks, four-wheel ABS, front 16.5" x 5" drum, rear 16.5" x 7" drum, park rear axle service brakes, Battery Group 31 commercial, 2,000 CCA, Alternator 160-amp., Fuel Tank 125-gallon, LH & RH fill; fuel/water separator, Tires Michelin XZA1	S	S
Chassis —(Chassis built after January 1, 2004) Spartan Mountain Master GT/Winnebago Industries' LULTIBELLY Monocoque, Engine Cummins ISL 8.9L turbo-charged/after cooled diesel, 400-hp @ 2,000 RPM; 1,200 lb. @ 1,300 RPM, electronic speed control, engine block heater (1,000 W), Jacobs Engine Compression Brake, Allison 6-Speed Electronic 3000 MH World Transmission touch pad gear selector, oil-to-coolant transmission cooler, ratios: 4 = 1.00:1; 5 = .75:1; 6 = .65:1, side-mounted radiator hydraulically driven fan, 50-state certification emissions control system, Independent Front Suspension (IFS) Spartan/Grannings® IFS 1460, front suspension, Rear Axle Meritor® RS-19-145 w/Outlet-Gear , axle ratio: 4.88, Rear Suspension Reyco® RS240AR air suspension, Brakes full air, engine driven compressor, air dryer w/automatic heated moisture ejector, lanyards on air tanks, four-wheel ABS, front 16.5" x 5" drum, rear 16.5" x 7" drum, park rear axle service brakes, Battery Group 31 commercial, 2,000 CCA, Alternator 160-amp., Fuel Tank 125-gallon, LH & RH fill; fuel/water separator, Tires Michelin XZA1	S	S
Air Accessory Manifold air hose, pressure gauge, quick connect, shutoff, manual, Air Suspension, Leveling Jacks HWH hydraulic, automatic touch pad windicator lights, Trailer Hitch * 10,000-lb. drawbar/500-lb. maximum vertical tongue weight & swing, Wheels stylized aluminum (4), steel (2)	S	S

Cab Area & Driver Conveniences

	40E	40K
Cigarette Lighter/12-Volt Powerpoint , Compass electronic w/outdoor thermometer, Console Center Cabinet , Defroster Fans (2) auxiliary 2-speed w/instrument panel switch, Floor Mat carpeted, driver, hood Release w/instrument key locks, Instruments/Gauges speedometer/tachometer, tachometer, voltmeter, oil pressure, engine coolant temperature, fuel gauge, headlamp switch, transmission temperature gauge, dual air pressure gauge, turbo-boost gauge, ignition switch, horn, Leather Cab Seats 6-way power assist w/integrated seat belts, multi-adjustable armrests, adjustable electric lumbar support, map pocket, swivel & recline, Map Lights (2), Color Monitor System rearview w/inside camera & 1-way audio, Sony, Power Door Locks keyless entry w/remote, Shades light filtering, cab windows, wraparound w/pull cords, Steering custom 18" multi-plex Smartflex® leather wrapped w/interior logo & controls for windshield wipers, ICC courtesy blink lights, cruise, tilt, telescope w/power assist, Survivors (2) powered, Trim Panel driver side w/tilt holder, 12-volt powerpoint, transmission shift pad, cellular phone holder, switches, Trim Panel passenger side w/drink holder, Turbo-boost Gauge , Window (driver & passenger) partial slider w/scene, dual-glazed	S	S
Cab Seat passenger w/power footrest	0	0
Cab Seats driver and passenger heated	0	0
GPS Navigation System * Alpine	0	0
Trip Computer TripTik	0	0

Entertainment

	40E	40K
CB Prep antenna, antenna lead, 12-volt power supply, Entertainment Center (Exterior) AM/FM/CD w/remote, AC duplex receptacle, TV jack, radio antenna, speakers (2), telephone jack, Radio (Cab) satellite ready, AM/FM stereo CD w/6-disc CD changer, roof-mounted flexible rubber antenna, Radio Power Switch main/auxiliary battery, Sound System Deluxe Sony, 5-channel w/Surround, VCR/DVD stereo w/remote, amplifier, cube speakers (5), sub-woofer (1), Stereo System (Bedroom) AM/FM CD player, Telephone input & interior jacks, TV 19" Color AC w/remote, bedroom, TV 27" Color AC w/remote, Sony flat screen, TV Enhancement cable antenna (amplified), antenna check reminder light, coax wiring, cable input, exterior jack, interior jacks), Video Selection System	S	S
Satellite Dish * Winegard® RV digital, elevation sensing unit, manual	0	0
Satellite Dish * Winegard, RV digital, power	0	0
Satellite Dish RV Digital, In-Motion	0	0
Satellite System Sirius antenna, receiver, 1-year pre-paid subscription	0	0

Interior

	40E	40K
Blinds micro galaxy, micro plated day/night lounge, dining and bedroom area, Ceiling vinyl, Ceiling Trim Panel with lighting, lounge and galley area, Cupholder(s) , Shade pleated, front wraparound w/pull cords, Light decorative dining w/trimmer switch, Lights fluorescent, recessed w/all switches, Lights incandescent, Lights halogen, under overheads, Lights reading, Light(s) wall lamp(s), Picture(s) , Shade Package roller design, blackout for all roof vents, Sliding Stepwell Cover Panel powered, Windows dual-glazed/thermo-insulated	S	S
Central Vacuum Cleaner	0	0

Countertops

	40E	40K
Solid-Surface Countertops Corian w/beveled edge, galley & bath	S	S

Floorcovering

	40E	40K
Ceramic Tile used throughout galley, cab entrance & bath areas	S	S
Carpeting w/pad		

Furniture/Dining and Lounge Area

	40E	40K
Banquette (Fabric) Villa w/throw pillows & slideout storage drawer	S	S
Banquette (Leather) Villa w/throw pillows & slideout storage drawer		
Dining Table & Chairs (2) free standing, (2) folding	S	S
Dining/Computer Table & Chairs (2) free standing, (2) folding	0	0

Furniture/Dining and Lounge Area (continued)	40E	40K
Lounge Chairs (2) (Leather) Euro Redliner w/ottoman	0	
Lounge Chairs (2) (Leather) Villa hoop-base, wend table	0	
Multi-Position Lounge (Fabric) Villa w/throw pillows & fold-down beverage tray	S	S
Multi-Position Lounge (Leather) Villa w/throw pillows & fold-down beverage tray	0	0
Multi-Position Lounge (Leather) Villa dual control w/head and massage	0	0
J-Lounge ¹ (Fabric) Villa w/slideside storage drawer	S	
J-Lounge ¹ (Leather) Villa w/slideside storage drawer	0	

Galley	40E	40K
Coffeemaker, Faucet single-control w/pull-out sprayer, Moen, Hutch, Light fluorescent, under cabinet, Microwave/Convection Oven w/Range Fan ¹ residential 30" G.E. Mirrors, Pantry slideside, ¹ Range Top 3-burner, recessed, sealed burners, Princess, Range Cover w/solid-surface, Refrigerator/Freezer large double-door, w/wood raised-panel inserts, icemaker, Norcold ¹ Roof Vent powered ventilator fan, Silverware Tray, Sink double-bowl molded Swastone w/solid-surface sink covers, Wastepaper Basket, Water Purification System separate faucet, Everpure	S	S
Appliance Storage Cabinet	S	
Cutting board slideside	S	
Dishwasher built-in under countertop	0	0
Island storage		S
Microwave/Speedcook Oven w/Range Fan ¹ residential 30" G.E. Advantium	0	0
Refrigerator/Freezer 4-door w/wood raised-panel inserts, icemaker, Norcold	0	0

Bath	40E	40K
Cabinet linen w/adjustable shelves, Faucet (lavatory) single-control Moen Post-Temp ¹ Faucet (shower) single-control w/telescopic showerhead, Light shower, Lights makeup, Roof Vent(s) powered ventilator fan w/air sensor, Shower, Shower Door glass, Showerhead hand-held, Skylight, Sink(s) oval, solid-surface, Tissue Holder, Toilet (Porcelain) w/hand lever, Towel Bar	S	S
Cabinet(s) lavatory	S	
Cabinet(s) medicine	S	
Magazine Rack	S	
Mirror	S	
Shower/Garden Tub ¹	0	
Shower Seat ¹ fold-down	S	
Towel Ring(s)		S

Bedroom	40E	40K
Bed queen-size mattress, Sleep Number by Select Comfort, w/underbed storage, Bedsprad w/throw shams, Throw Pillows, Sleeping Pillows, Headboard, Lights decorative wall lamps, Light ceiling w/mirror switch, Lights adjustable reading, Nightstands (2), Shirt Cabinet, Storage Cabinet w/ouvered doors, Wainscoting w/chair rail, Wardrobe Cabinet carpeted floor, cedar-lined, clothes rod, light, shelf, shoe shelf	S	S
Cabinet lavatory with sink, drawers and doors	S	0
Dresser with six drawers and mirror	S	
Lounge Chair fabric, Flexsteel ¹ ottoman w/inside storage	0	
Lounge Chair leather, Euro Redliner w/ottoman	0	
Mirror w/beveled edge	S	
Roof Vent(s) powered ventilator fan w/air sensor	S	S

Exterior	40E	40K
Air Horns roof-mounted, Assist Handle acrylic, lighted w/Ultimate logo & doorbell button, Awnings electric patio w/wind sensor and remote, entrance door, Awning Rail, Door entrance w/separate screen door, deadbolt lock, keyless entry w/remote, dual-glassed window, Door fuel-fill, locking LH & RH sides, Entrance Door Step single, electric w/doorjamb	S	S

Exterior (cont.)	40E	40K
switch, Exterior Full-Body Paint Sapphire, Fieldstone or Graphite, Ladder, Lights docking lamps, Lights fog lamps, Light porch light w/interior switch, Light sensor, driver side, Light under hood, Mirrors top-mount, wide angle, electric remote w/driver, Mudflaps (2) rear, Mud Guard full-width (stainless steel w/lettering), Receptacle AC duplex, Sideload Skin 1-piece smooth fiberglass, high-gloss, Squeeze, Storage Compartments smooth valance panels, trunk liner, gas struts, TriMark ¹ KeyOne System w/pulver locks & remote, lights, Undercoating		
Awnings ¹ window	0	0
Compartment/Tray slideside	0	0
Refrigerator/Freezer portable, Norcold	0	0
Spotlight roof mounted w/wireless remote	0	0

Systems	40E	40K
---------	-----	-----

Automotive Heater/Air Conditioner blend air system, Auxiliary Start Circuit, Batteries (Coach) (3) deep cycle, Battery Disconnect System (Coach), Battery Charge Control automatic dual, Battery Charging System (Chassis), Drain 1 1/2" water tank, Electrical Disconnect System AC & DC breaker panels, Furnace (2) 35,000 BTU, low profile, Generator ¹ 7,500-watt, Onan Diesel, Generator/Shoreline Automatic Changerover Switch, Inverter/Charger converter, 2,000-watt w/remote panel, Systems Center wall-mount, battery digital voltmeter, battery condition gauge, Energy management display, generator hourmeter gauge, generator start/stop switch, heating/A/C thermostat, holding tank levels, LP tank level, solar panel/battery charger light, water heater switch, water heater on light & pilot indicator light, water pump switch, water tank level, Power Cord 50-amp, Superflex cord, Energy Management System, Service (Drainage/Water) drainage valves, holding tank flushing system, sewer hose with Coupling Valve, Service Connection Hatch, monitor panel, city water hookup/tank diverter fill, drain for fresh water system, exterior wash station w/pump switch, paper towel holder, soap dispenser, Service Center (Electrical) cable TV input, power cord, telephone input, Solar Panel 10-watt battery charger, Tank Flushing System black tank only, Tank holding, heated compartment, Tank LP, permanent mount w/piggyback, Residential Central Air Conditioning System heat pump, Water Heater 10-gallon electronic ignition, LP gas/120 vac w/Motoraid ¹ Water Heater Winterization Bypass Valve manual, Water Pump demand variable speed tank, Water System Winterization Package water heater bypass valve & siphon tube, Water Tank Fill gravity, Water Tank Fill pressurized city hookup w/driver valve	S	S
Dual Climate Control automotive heater A/C	0	0
Power Cord Reel 12-volt	0	0
Washer/Dryer Combination ¹	0	0
Water Supply Hose Reel 12-volt	0	0

Slideside	40E	40K
Slideside Room bed w/bedroom cover	S	S
Slideside Room rear chest of drawers/vanity w/bedroom cover	S	
Slideside Room galley/sofa w/bedroom cover	S	
Slideside Room J-lounge/galley w/bedroom cover	S	
Slideside Room dining/sofa w/bedroom cover	S	

Safety	40E	40K
Assist Bar(s) interior, Detectors/Alarms LP leak, smoke, carbon monoxide, Fire Extinguisher 10 B.C., Ground Fault Interrupter, Light center high-mount brake lamp, Lights courtesy w/wall switches, Lights daytime running lamps, Seat Belts cab, 3-point, integrated with seat, Seat Belts lap (in selected areas), Window escape, Windshield laminated safety glass	S	S
Security Vial w/key	0	0

Warranty ²	40E	40K
12-month/15,000-mile basic warranty, ³	S	S
36-month/36,000-mile warranty on structure, ³		
10-year limited parts & labor warranty on roof skin ³		

- a The height of each model is measured to the top of the tallest standard feature and is based on the curb weight of a typically equipped unit. The actual height of your vehicle may vary by as much as 2' depending on chassis or equipment variations. Your vehicle may be equipped with optional features that increase the overall height. Please check with your dealer for further information.
 - b Ultimate Advantage floorplans feature a wide-body design—over 96" in making your purchase decision, you should be aware that some states restrict access on some or all state roads to 96" in body width. Before making your purchase decision, you should confirm the road usage laws in the states of interest to you.
 - c Your motor coach's load capacity is designated by weight, not by volume, so you cannot necessarily use all available space when loading your motor coach.
 - d Capacities shown are tank manufacturer's listed water capacity (W.C.). Actual filled LP capacity is 80% of listing due to overfilling prevention device on tank.
 - e Actual towing capacity is dependent on your particular loading and towing circumstances, which includes the GVWR, GVWS and GCWR, as well as adequate trailer brakes. Please refer to your vehicle's operator's manual for further towing information.
 - f Not all items available in combination. See dealer for details.
 - g See separate chassis warranty details provided in owner's packet.
 - h See your dealer for complete warranty information.
- S Standard
O Optional
- Winnebago Industries continuing program of product improvement makes specifications, equipment, model availability and prices subject to change without notice. Comparisons to other motor coaches are based on the most recent information available.